HONVAX PUMP PRODUCT OVERVIEW

Product contents

Browse by product type, then manufacturer and series. Similar bore sizes are placed together for comparison.

Product type	Manufacturer	Series	Pages
Water supply and boosting	Shanghai East Pump	DFG	4
Water supply and boosting	Shanghai East Pump	DFW	5
Water supply and boosting	Shanghai East Pump	XA	6
Water supply and boosting	Shanghai East Pump	DCC	7
Water supply and boosting	Shanghai East Pump	DCC-M	8
Water supply and boosting	Shanghai East Pump	DDZ	9
Water supply and boosting	Shanghai East Pump	DFSL	10
Circulation	Shanghai East Pump	DFP	11
Submersible sewage	Shanghai East Pump	WQ	12-13
Deep-well clean-water pumps	Zhejiang Qingquan	2SD	14
Deep-well clean-water pumps	Zhejiang Qingquan	2.5SD	15
Deep-well clean-water pumps	Zhejiang Qingquan	3SD	16
Deep-well clean-water pumps	Zhejiang Qingquan	3SK	17
Deep-well clean-water pumps	Zhejiang Qingquan	3.5SD	18
Deep-well clean-water pumps	Zhejiang Qingquan	4SD	19
Deep-well clean-water pumps	Zhejiang Qingquan	4SP	20

HONVAX PUMP PRODUCT OVERVIEW

Product contents continued

Browse by product type, then manufacturer and series. Similar bore sizes are placed together for comparison.

Product type	Manufacturer	Series	Pages
Deep-well clean-water pumps	Zhejiang Qingquan	4SK	21
Deep-well clean-water pumps	Zhejiang Qingquan	5SD	22
Deep-well clean-water pumps	Zhejiang Qingquan	5SP	23
Deep-well clean-water pumps	Zhejiang Qingquan	6SD	24
Deep-well clean-water pumps	Zhejiang Qingquan	6SR	25
Deep-well clean-water pumps	Zhejiang Qingquan	6SP	26
Deep-well clean-water pumps	Zhejiang Qingquan	200QJ	27
Deep-well clean-water pumps	Zhejiang Qingquan	8SP	28
Deep-well clean-water pumps	Zhejiang Qingquan	10SP	29
Submersible screw pumps	Zhejiang Qingquan	QGD	30
Submersible motors	Zhejiang Qingquan	3 in	31
Submersible motors	Zhejiang Qingquan	3.5 in	32
Submersible motors	Zhejiang Qingquan	4 in	33
Submersible motors	Zhejiang Qingquan	5 in	34
Submersible motors	Zhejiang Qingquan	6 in	35
Pump controllers	Zhejiang Qingquan	30Y1	36
Pump controllers	Zhejiang Qingquan	20Y	37

Selection guide on page 3. Complete model data, curves and available installation drawings are in the separate detailed technical catalogues.

info@honvax.com | www.honvax.com

Product selection guide

Back to contents

Choose the service and installation arrangement before comparing model ranges. Shared applications do not establish interchangeability.

Application	Installation or service	Series	Manufacturer
Water supply and pressure boosting	Ground-level pump and pipework arrangements	DFG, DFW, XA, DCC, DCC-M, DDZ, DFSL	Shanghai East Pump
Water circulation	Hot/chilled-water and building circulation systems	DFP; other circulation services are also listed under the above series	Shanghai East Pump
Sewage collection and drainage	Submersible pumps for wastewater service	WQ	Shanghai East Pump
Clean-water well supply and irrigation	Deep-well submersible pumps; series grouped by nominal well size	SD, SR, SP, 200QJ, 3SK and 4SK series	Zhejiang Qingquan
Submersible screw-pump supply	Separate screw-pump construction	QGD	Zhejiang Qingquan
Pump drive and control	Components selected to match the pump and electrical supply	3-6 inch motors; 30Y1 and 20Y controllers	Zhejiang Qingquan

How to compare

For deep-well pumps, compare series for the same nominal well size first, then compare the required flow and head at one operating point, motor power, supply phase and available construction data.

For ground-level water-supply pumps, compare the installation arrangement, required duty, liquid temperature and system conditions. For sewage pumps, include the liquid and solids requirements.

Scope of the current portfolio

The supplied Shanghai East Pump catalogues cover sewage, water-supply, boosting and circulation pumps. The supplied Zhejiang Qingquan catalogue covers deep-well pumps, submersible screw pumps, motors and controllers. These source sets do not establish directly equivalent series between the two manufacturers.

Confirm the final duty and complete supply configuration in the agreed technical documents.


WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

DFG vertical in-line pumps

Back to contents



Product appearance



Internal construction

Applications

Water supply, pressure boosting, industrial circulation and hot/cold-water systems.

Main features

Direct motor connection and an in-line pipe arrangement. Compact construction with model-specific impeller and motor selection.

Series overview

Item	Catalogue range or configuration
Flow	2–1,400 m^3/h
Head	5–130 m
Standard liquid temperature	−15 to 80 °C
Hot-water version	Above 80 °C and below 105 °C; higher-temperature requirements are special orders.
System pressure	Up to 1.6 MPa for the stated standard range.

Flow and head limits span multiple models and are not a single operating point. Use the detailed technical catalogue to select the model and configuration.

MANUFACTURER

Shanghai East Pump (Group) Co., Ltd.

Original product and cutaway images. Source: single-stage pump catalogue, PDF pp. 3–6.


WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

DFW horizontal close-coupled pumps

Back to contents



Product appearance



Internal construction

Applications

Water supply and transfer, industrial circulation, pressure boosting and building services.

Main features

Direct motor connection in a horizontal arrangement. Select the pump, motor and base together to suit the duty and installation.

Series overview

Item	Catalogue range or configuration
Flow	2–1,450 m^3/h
Head	5–135 m
Standard liquid temperature	−15 to 80 °C
Hot-water version	Above 80 °C and below 105 °C; higher-temperature requirements are special orders.
System pressure	Up to 1.6 MPa for the stated standard range.

Flow and head limits span multiple models and are not a single operating point. Use the detailed technical catalogue to select the model and configuration.

MANUFACTURER

Shanghai East Pump (Group) Co., Ltd.

Original product and cutaway images. Source: single-stage pump catalogue, PDF pp. 27–30.


WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

XA coupled end-suction pumps

Back to contents



Product appearance



Internal construction

Applications

Clean-water transfer, industrial and mining water, urban water supply and drainage, circulation and irrigation.

Main features

Separate pump shaft and bearing frame with flexible-coupling drive. Packing or mechanical sealing and model-specific motor and mounting selection.

Series overview

Item	Catalogue range or configuration
Maximum series flow	2,640 m^3/h
Maximum series head	150 m
Liquid temperature	−15 to 80 °C
Construction	Single-stage, single-suction centrifugal pump.

Flow and head limits span multiple models and are not a single operating point. Use the detailed technical catalogue to select the model and configuration.

MANUFACTURER

Shanghai East Pump (Group) Co., Ltd.

Original product and cutaway images. Source: single-stage pump catalogue, PDF pp. 51–52.

Request a quotation

Send the flow, head, liquid details, inlet pressure, voltage and frequency, quantity, installation requirements and destination.


Final performance data, installation dimensions and supply configuration are subject to the agreed technical documents.

WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

DCC Precision Canned Motor Pumps

Back to contents





Applications

Industrial and municipal water supply, high-rise building services, pipeline boosting, HVAC water circulation and process circulation.

Construction

Vertical in-line construction with an integrated canned motor. The pumped liquid cools the motor and lubricates the sliding bearings. Static containment replaces a mechanical shaft seal.

Item	Series overview
Flow range	3-350 m^3/h
Head range	6-90 m
Maximum working pressure	1.6 MPa
Liquid temperature	-15 to 95 °C, limited by the selected motor
Maximum ambient temperature	40 °C

106 models covered by the detailed model tables. Range limits span different models and must not be combined as a single duty.

Manufacturer Shanghai East Pump (Group) Co., Ltd. | China


Final performance data, installation dimensions and supply configuration are subject to the agreed technical documents.

WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

DCC M Precision Multistage Canned Motor Pumps

Back to contents





Applications

Water supply and pressure boosting, high-rise buildings, treatment and filtration, industrial liquid transfer, HVAC systems and boiler feed services within the stated liquid limits.

Construction

Vertical in-line multistage hydraulic assembly integrated with a canned motor. Stainless-steel impellers and guide vanes; liquid cooling and bearing lubrication without an external cooling fan.

Item	Series overview
Flow range	0.4-180 m^3/h
Head range	6-260 m
Maximum system pressure	Up to 3.0 MPa; model-specific limits apply
Liquid temperature	-15 to 95 °C, subject to motor limit
Range coverage	15 groups: 1, 2, 3, 4, 5, 8, 12, 16, 20, 32, 42, 65, 85, 120 and 150

301 models covered by the detailed model tables. Range limits span different models and must not be combined as a single duty.

Manufacturer Shanghai East Pump (Group) Co., Ltd. | China


Final performance data, installation dimensions and supply configuration are subject to the agreed technical documents.

WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

DDZ Precision Internal Circulation Pumps

Back to contents





Applications

Industrial and municipal water supply, high-rise and packaged water supply, pipeline boosting, chilled-water circulation, long-distance water delivery and process circulation.

Construction

Vertical pump with an internally circulated liquid-cooled motor. A common shaft connects pump and motor; the motor is cooled by the pumped liquid without a cooling fan. The structure includes a mechanical seal.

Item	Series overview
Flow range	3-1800 m^3/h
Head range	6-90 m
Maximum working pressure	1.6 MPa
Liquid temperature	-15 to 40 °C
Maximum ambient temperature	40 °C

178 models covered by the detailed model tables. Range limits span different models and must not be combined as a single duty.

Manufacturer Shanghai East Pump (Group) Co., Ltd. | China


Final performance data, installation dimensions and supply configuration are subject to the agreed technical documents.

WATER SUPPLY AND BOOSTING / SHANGHAI EAST PUMP

DFSL Water Cooled Motor Multistage Pumps

Back to contents





Applications

Municipal and residential water supply and boosting, high-rise building services, water treatment and filtration, HVAC and refrigeration systems.

Construction

Vertical multistage pump with an integrated liquid-cooled motor and no cooling fan. The manufacturer supplies separate exploded views for DFSL8-20, DFSL32-85 and DFSL120-150.

Item	Series overview
Flow range	5-180 m^3/h
Maximum operating pressure	30 bar; model-specific limits apply
Liquid temperature	-15 to 40 °C
Maximum ambient temperature	40 °C
Model table coverage	DFSL8, 12, 16, 20, 32, 42, 65 and 85; DFSL120/150 range and structure only

122 models covered by the detailed model tables. Range limits span different models and must not be combined as a single duty.

Manufacturer Shanghai East Pump (Group) Co., Ltd. | China


Final performance data, installation dimensions and supply configuration are subject to the agreed technical documents.

CIRCULATION PUMPS / SHANGHAI EAST PUMP

DFP Canned Motor Pumps

Back to contents





Applications

Central air-conditioning hot and chilled-water circulation, building boiler hot-water circuits, and closed hot/cold-water loops in industrial and mining facilities.

Construction

Common-shaft canned motor construction without a mechanical shaft seal. The pumped liquid lubricates the graphite sliding bearings. Separate radial and thrust bearing arrangements are shown for motors of 90 kW and above.

Item	Series overview
Overview flow range	1-1400 m^3/h
Overview head range	5-85 m
Maximum working pressure	1.4 MPa
Liquid temperature	-35 to 105 °C; reverse circulation above 95 °C
Special temperature service	Above 105 °C by special order

141 models covered by the detailed model tables. Range limits span different models and must not be combined as a single duty.

Manufacturer Shanghai East Pump (Group) Co., Ltd. | China

Final performance data, installation dimensions and supply configuration are subject to the agreed technical documents.

SUBMERSIBLE SEWAGE PUMPS / SHANGHAI EAST PUMP

WQ submersible sewage pumps

Back to contents



Product appearance



Internal construction

Applications

Sewage collection and transfer, wastewater treatment facilities, industrial wastewater systems, and building and infrastructure drainage.

Product features

Hydraulic design	Sealing and monitoring
Large hydraulic passages for sewage service. Impeller design and solids passage depend on the selected model.	Two independent mechanical seals. Temperature and leakage monitoring configurations depend on the selected pump.

Manufacturer

Shanghai East Pump (Group) Co., Ltd. | China

Original manufacturer product and cutaway images. Source: supplied WQ third-generation catalogue. Appearance and configuration vary by model.

SUBMERSIBLE SEWAGE PUMPS / SHANGHAI EAST PUMP

WQ range and installation

Back to contents


143 models across 8 series


The ranges below summarise tabulated operating points across each series.


Series	Flow m³/h	Head m	Motor kW	Max solids mm
40WQ	5.6–24	11.9–17.5	0.75–2.2	20
50WQ	6.3–48	4.5–45.4	0.75–7.5	20
65WQ	17.5–48	4.7–50	1.1–11	25
80WQ	28–84	6.6–33	2.2–7.5	30
100WQ	39.3–118	7.5–48	3–18.5	35
150WQ	87.5–280	7.6–43	11–30	40
200WQ	214–480	5.7–21.7	15–30	50
250WQ	378–720	5.8–13.5	22–30	60

Flow, head and power ranges must not be combined arbitrarily. Use matched duty points in the detailed model tables and curves.

Installation options







Automatic coupling	Mobile with rigid pipe	Mobile with flexible hose
Guide rails allow the pump to lift free of the discharge connection.	Base-supported pump connected to rigid discharge pipe.	Base-supported pump connected to a flexible discharge hose.

Control cabinets, coupling sets, level switches and other accessories can be specified to suit the installation.

Request a quotation

Send the required flow and head, liquid and solids details, voltage and frequency, installation method, quantity and delivery destination.

Source: supplied manufacturer WQ catalogue. Detailed data for all 143 models, performance curves and available installation dimensions are provided in the separate technical catalogue. Final supply configuration is agreed in the technical offer.

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

2SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	2SD
Hydraulic configurations	3 model rows in the detailed tables
Output power	0.18-0.37 kW
Tabulated flow	0-1.08 m^3/h
Tabulated head	12-48 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

2.5SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	2.5SD
Hydraulic configurations	5 model rows in the detailed tables
Output power	0.18-0.75 kW
Tabulated flow	0-2.4 m^3/h
Tabulated head	5-109 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

3SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	3SD, 3SD3, 3SD4
Hydraulic configurations	22 model rows in the detailed tables
Output power	0.18-1.5 kW
Tabulated flow	0-5.4 m^3/h
Tabulated head	8-197 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

3SK Deep Well Submersible Pumps

Back to contents





Series product image and enlarged detail.

Applications

Compact submersible pumps for clear water at room temperature, for household and commercial use.

Item	Series overview
Series groups	3SK
Hydraulic configurations	2 model rows in the detailed tables
Output power	0.55-0.75 kW
Tabulated flow	0-1.8 m^3/h
Tabulated head	5-59 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

3.5SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	3.5SD, 3.5SD3, 3.5SD4, 3.5SD6
Hydraulic configurations	34 model rows in the detailed tables
Output power	0.25-1.8 kW
Tabulated flow	0-9.6 m^3/h
Tabulated head	8-224 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

4SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	4SD2, 4SD3, 4SD4, 4SD6, 4SD8, 4SD10, 4SD12, 4SD16
Hydraulic configurations	128 model rows in the detailed tables
Output power	0.25-7.5 kW
Tabulated flow	0-21 m^3/h
Tabulated head	6-462 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

4SP Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	4SP2, 4SP3, 4SP5, 4SP8, 4SP14
Hydraulic configurations	56 model rows in the detailed tables
Output power	0.37-7.5 kW
Tabulated flow	0-18 m^3/h
Tabulated head	8-398 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

4SK Deep Well Submersible Pumps

Back to contents





Series product image and enlarged detail.

Applications

Compact submersible pumps for clear water at room temperature, for household and commercial use.

Item	Series overview
Series groups	4SK
Hydraulic configurations	3 model rows in the detailed tables
Output power	0.75-1.5 kW
Tabulated flow	0-2.7 m^3/h
Tabulated head	7-135 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

5SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	5SD8, 5SD10, 5SD12, 5SD15, 5SD20
Hydraulic configurations	54 model rows in the detailed tables
Output power	1.1-15 kW
Tabulated flow	0-25.8 m^3/h
Tabulated head	9-592 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

5SP Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	5SP10, 5SP20, 5SP25, 5SP30
Hydraulic configurations	36 model rows in the detailed tables
Output power	1.2-15 kW
Tabulated flow	0-40 m^3/h
Tabulated head	9-323 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

6SD Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	6SD10, 6SD15, 6SD20, 6SD25, 6SD30, 6SD35, 6SD45, 6SD50, 6SD60
Hydraulic configurations	89 model rows in the detailed tables
Output power	3-22 kW
Tabulated flow	0-72 m^3/h
Tabulated head	11-434 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

6SR Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	6SR20, 6SR35, 6SR50
Hydraulic configurations	30 model rows in the detailed tables
Output power	3-22 kW
Tabulated flow	0-60 m^3/h
Tabulated head	9-338 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

6SP Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	6SP17, 6SP30, 6SP46, 6SP60
Hydraulic configurations	54 model rows in the detailed tables
Output power	2.2-37 kW
Tabulated flow	0-80 m^3/h
Tabulated head	5-499 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

200QJ Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	200QJ80
Hydraulic configurations	8 model rows in the detailed tables
Output power	7.5-37 kW
Tabulated flow	0-111 m^3/h
Tabulated head	10-190 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

8SP Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	8SP77, 8SP95
Hydraulic configurations	40 model rows in the detailed tables
Output power	5.5-92 kW
Tabulated flow	0-120 m^3/h
Tabulated head	8-431 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

10SP Deep Well Submersible Pumps

Back to contents





Series product image and manufacturer's sectional illustration for reference.

Applications

Well and reservoir water supply, domestic, civil and industrial use, garden watering and irrigation.

Item	Series overview
Series groups	10SP125, 10SP160
Hydraulic configurations	24 model rows in the detailed tables
Output power	11-160 kW
Tabulated flow	0-190 m^3/h
Tabulated head	12-379 m
Supply	50 Hz; phase variants as listed in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

DEEP-WELL PUMPS / ZHEJIANG QINGQUAN / 50 Hz

QGD Submersible Screw Pumps

Back to contents





Applications

Submersible screw pumps for water supply, with 2-4 inch configurations.

Item	Series overview
Configurations	10 source model rows
Maximum liquid temperature	35 °C
Protection	IP68
Reference speed	2850 r/min
Supply	Single phase 220-240 V; three phase 380-415 V

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

SUBMERSIBLE MOTORS / ZHEJIANG QINGQUAN / 50 Hz

3 Inch Submersible Motors

Back to contents



Submersible motors for borehole pump assemblies. Select the voltage, phase, output power and coupling to match the pump.

Item	Series overview
Nominal size	3 in
Model configurations	8 source rows
Frequency / speed	50 Hz / approximately 2850 r/min
Insulation / protection	Class F / IP68
Maximum liquid temperature	35 °C

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

SUBMERSIBLE MOTORS / ZHEJIANG QINGQUAN / 50 Hz

3.5 Inch Submersible Motors

Back to contents



Submersible motors for borehole pump assemblies. Select the voltage, phase, output power and coupling to match the pump.

Item	Series overview
Nominal size	3.5 in
Model configurations	9 source rows
Frequency / speed	50 Hz / approximately 2850 r/min
Insulation / protection	Class F / IP68
Maximum liquid temperature	35 °C

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

SUBMERSIBLE MOTORS / ZHEJIANG QINGQUAN / 50 Hz

4 Inch Submersible Motors

Back to contents



Submersible motors for borehole pump assemblies. Select the voltage, phase, output power and coupling to match the pump.

Item	Series overview
Nominal size	4 in
Model configurations	24 source rows
Frequency / speed	50 Hz / approximately 2850 r/min
Insulation / protection	Class F / IP68
Maximum liquid temperature	35 ℃

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

SUBMERSIBLE MOTORS / ZHEJIANG QINGQUAN / 50 Hz

5 Inch Submersible Motors

Back to contents



Submersible motors for borehole pump assemblies. Select the voltage, phase, output power and coupling to match the pump.

Item	Series overview
Nominal size	5 in
Model configurations	18 source rows
Frequency / speed	50 Hz / approximately 2850 r/min
Insulation / protection	Class F / IP68
Maximum liquid temperature	35 °C

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

SUBMERSIBLE MOTORS / ZHEJIANG QINGQUAN / 50 Hz

6 Inch Submersible Motors

Back to contents



Submersible motors for borehole pump assemblies. Select the voltage, phase, output power and coupling to match the pump.

Item	Series overview
Nominal size	6 in
Model configurations	16 source rows
Frequency / speed	50 Hz / approximately 2850 r/min
Insulation / protection	Class F / IP68
Maximum liquid temperature	35 °C

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

PUMP CONTROLLERS / ZHEJIANG QINGQUAN

30Y1 Intelligent Pump Controllers

Back to contents



Intelligent pump control with automatic/manual operation, water-level or pressure control, and protection functions.

Item	Series overview
Controller series	30Y1
Configurations	10 model rows
Supply and motor power	See model-specific tables in the detailed catalogue
Installation	Original dimension drawing in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China

PUMP CONTROLLERS / ZHEJIANG QINGQUAN

20Y Intelligent Pump Controllers

Back to contents



Intelligent pump control with automatic/manual operation, water-level or pressure control, and protection functions.

Item	Series overview
Controller series	20Y
Configurations	3 model rows
Supply and motor power	See model-specific tables in the detailed catalogue
Installation	Original dimension drawing in the detailed catalogue

Ranges span different models and operating points. Final performance, materials, dimensions and supply configuration are set out in the agreed technical documents.

Manufacturer Zhejiang Qingquan Pump Co., Ltd. | China